



Technical Briefing

Semi- Live Session

LUPUS CORA 2021

Session Overview

- The first pre-recorded presentation will be played. After that, we will move to the live Q&A part which will be introduced and managed by the Chairperson/s.
- The Chairperson will filter through incoming questions and address them to the speaker.
- The speaker will answer the questions via their microphone.
- The second pre-recorded presentation will be played and then we will move again to the live Q&A part, and so forth until the end of the session.



The speaker will use “Zoom” for the Live Q&A session/section of the session. A link will be sent to you 2-3 days before the scheduled session. Please log in 30 minutes prior to the session (the calendar you will receive will be set for the 30 minutes prep time.




The Zoom session is live-streamed to the virtual meeting platform, where the participants can view all the sessions.

The image shows a Zoom meeting interface. The top blue bar displays the meeting title: "FENS S01- Chromatin regulation of transcriptional identity during neuronal development -...". The main area contains a grid of seven video thumbnails for participants: Andrej Kastelic, Miia Männikkö, Chawanun C, Afzal Javed, Linda B Cottler, POZNYAK, Vladimir B., and Nora Volkow Adler. A "Powered by Zoom" logo is visible in the bottom right of the grid. On the right side, a "Kenes- Q&A" sidebar is open, featuring a search bar "Ask the speaker", a text input field "Type your question", and a list of questions. The "Popular" tab is selected, showing a question from "Mike Smith" asked "now" with 0 likes. A "Reply" button and a three-dot menu are visible below the question. At the bottom of the sidebar, the "slido" logo and a green "Ask" button are present.



Live Q&A instructions

- Speakers/moderators will receive links to access Slido/the Q&A chat before the start of the session.
- The link may be opened in a browser (easier if you have 2 screens) or on your phone/tablet
- The questions will be addressed live, NOT in written form
- The moderator will filter through the questions and address them to the chosen speaker, the speaker will unmute their microphone and respond
- Please note that the attendees can upvote the questions asked by others and comment



INTRODUCTION TO PRACTISING P...
Jul 3 - 10, 2021

Live interaction

Switch event

Dark mode

About Slido

Type your question

M

2 weeks ago

Fake news is current, especially around vaccines and medication. How do you reconcile patient autonomy and recognition of their beliefs with being the expert clinician?

Reply

L

2 weeks ago

I work with patients with poor literacy and poor health literacy. Do you have suggestions for working with people who are from more disadvantaged backgrounds? Thanks for the great talk

Reply

S

2 weeks ago

Have you encountered any medico-legal problems with this approach? That is, does it come back to bite if the decision does not work out as the patient hoped?

Reply

Anonymous

2 weeks ago

Do you think it is true that some patients do not want to be part of shared decision making? They would prefer someone else to tell them? Is that part of being patient-centred?

Reply

Slido Q&A - Speaker View



General instructions for the speakers

- Please Join the zoom meeting at least 30 minutes before the actual start time.
- The link to Zoom will be e-mailed to you 2-3 days prior to the Virtual Conference (accounting for the 30 minutes).
- Stable internet connection with a minimum **upload speed** of 5 Mbps. We recommend using a wired LAN internet connection if possible. 4g should not be used. You may check your internet speed using the following link: <https://www.speedtest.net/>
- Please make sure that you have a good microphone.

We recommend using a headset like this if possible:



General instructions for the speakers

- Please make sure to connect with a webcam.
- Please make sure that you are in quiet place.
- When you are not speaking please mute your microphone, don't forget to unmute when you want to talk.
- It's possible to communicate with the other speakers over the zoom chat during the session, the audience will not see any chat messages.
- Please make sure to connect to the zoom with your actual name - the audience will be able to see the faculty names in the live streaming.
- If no one asked a question, the moderator should use their own questions to facilitate Q&A. These should be prepared in advanced.

******* Please do not share the zoom link with attendees, only the speakers, moderators, chairs (faculty) may use the link provided. *******





Virtual Technical Briefing

Polling
slido

Voting via SLIDO

Please follow the instructions:

- Please make sure that the questions and answers you've shared with the Kenes team are 250 characters max per question/answer
- Please ensure that the order of the questions within your PowerPoint correspond with the questions you've submitted to the Kenes team.
- Each question with answer options should be on a different slide .

Example:

Question 1


- Answer 1
- Answer 2
- Answer 3
- Answer 4



Voting via SLIDO

When it's time to vote:

- Read out loud the questions and possible answers and when you finish reading them, please say: **“Please vote now via the right-hand side panel under the Chat area and don't forget to submit your answer by pressing Send”**



The screenshot displays a Zoom meeting interface. On the left, two video thumbnails are visible: one for Christian Lunde, a man with glasses smiling, and one for Sincerely Media, a woman with short hair. On the right, a chat panel is open, showing a live poll titled "Demo Webinar". The poll question is "What is the main reason for your participation today at the session?". There are three options: "Learn new skills" (checked), "To network and make new connections" (checked), and "To pick up all the important information" (unchecked). A green "SEND" button is visible below the options. The chat panel also shows the "slido" logo at the bottom.



Speakers will also receive a link to view the voting process and results (this link will be provided by the Kenes Technician during the 30-minute prep time:

app.sli.do/event/bq9om3tl/live/polls

Budget Recordings Live Events IT MP Onsite Congresses Kenes-Telephone.xlsx תיקיה משותפת - כר... אגף משפחות הנצח... דיאטה לפטיות 18082019 01092019-2 01092019 PowerPoint

ESOC21 - Alexion

ESOC21 - Alexion
Sep 2 - 9, 2021

Live interaction

Switch event

Dark mode

About Slido

What does your present approach for reversal of FXa inhibitors in patients with intracranial hemorrhage (ICH) look like?

- Time is brain in ICH – so we apply the antidote immediately based on a detailed anamnesis.
- We use urine dip sticks – and only treat in case of a positive result for FXa inhibitors.
- We measure anti-FXa levels at our central lab – and wait for the result before antidote.
- We use a Point-of-Care coagulation test at bedside – and withhold antidote in case relevant anti-FXa levels have been excluded
- None of the above.

Send

Voting as [Anonymous](#)



Participants' Results View:

Speakers Results View: (For Speakers to see results, Speakers must vote too)

Chat

Public Presenters Private Twitter

ESOC21 - Alexion

Concentration (PCC) may not be licensed for such use in your jurisdiction. Please consult local labelling information

Reverse with andexanet alfa high-dose

68%

Substitute PCC 50 U / kg*

16%

Reverse with andexanet alfa low dose

10%

Wait and see

6%

Edit response

slido

app.sli.do/event/bq9om3tl/live/polls

ESOC21 - Alexion

C21 - Alexion
2 - 9, 2021

Live interaction

Switch event

Dark mode

What does your present approach for reversal of FXa inhibitors in patients with intracranial hemorrhage (ICH) look like?

Time is brain in ICH – so we apply the antidote immediately based on a detailed anamnesis. 52%

We measure anti-FXa levels at our central lab – and wait for the result before antidote. 24%

None of the above. 18%

We use urine dip sticks – and only treat in case of a positive result for FXa inhibitors. 3%

We use a Point-of-Care coagulation test at bedside – and withhold antidote in case relevant anti-FXa levels have been excluded 3%

Edit response

